To be completed by Authorized ETON Dealership



Buyers Agreement Checklist Scooters

Place in Dealer's File Do NOT send to ETON

also

As members of the Motor Vehicle industry, our staff and management would like to thank you for your purchase of an E-TON Scooter. We sincerely believe you will receive years of enjoyment from this purchase.

As with any motorized vehicle, accidents can and do occasionally occur. It is for this reason and your understanding of your Scooters safety, that we specifically bring the following points to your attention. We ask that you read each point carefully and ask your sales rep if you do not clearly understand any particular points.

<u>Initials</u>	
1.	I have received the owner's manual and agree to read it, especially the safety warnings, before using the Scooter. I understand that all riders should wear an approved helmet and all appropriate safety gear whenever riding the Scooter.
2.	I understand that this Scooter is subject to all laws of the road, and that many states and localities have additional laws which specifically apply to Scooters. Some states require registration and licensing of Scooters, along with driver licensing requirements.
<u>*</u> 3.	I have been instructed in the proper use of the braking and speed managing mechanisms of this Scooter, and the recommended pre-ride safety inspection.
4.	I have been advised on the proper sized scooter unit for my needs, but final selection of this Scooter has been my own decision.
5.	I understand that regular maintenance is required to keep this Scooter operating properly and that failure to maintain this Scooter may void the manufacturer's warranty and may result in the Scooter becoming unsafe to operate. Regular maintenance includes frequent inspection of all periodical check mechanisms and wheel retention devices. I also understand that maintaining appropriate tire pressure at all times is essential for the safe use of this Scooter. The recommended tire pressure is marked on the tire and is also found in the owner's manual.
acknowledge my	th item on the above checklist, I have indicated my complete understanding of these points, and I responsibilities regarding the contents. I also agree to explain the points on this checklist to anyone who will be using the Scooter now and in the future.
	X

E

To be completed by Authorized ETON Dealership

Place in Dealer's File

ETON America, LLC Warranty Registration and Pre-Delivery Certification

Owners Name				
Address				
City Invoice No.	State Invoice Date	Zip	(Area Code)	Phone
Model Color	Dealer No. E		-0	
VIN /Frame No. R (or place label here)		Address City State Zip	×2,	
Engine No. (Not required)		Phone		Fax
By signing below, I hereby certify th in accordance with instructions contains Checklist was completed and on file in	ed in the Set-Up and Pre-Delivery Ch	fication ner, Set-Up and I necklist. I also he	reby certify that a cop	by of the Pre-Delivery
technician. I hereby certify that the conskill improvement. The consumer has a file for this unit. ETON products must be ETON Dealer will void the warranty.	sumer has been made aware of skill talso completed and signed the Buyers	raining (safety) r s Agreement Che	naterials, courses and ecklist and a copy has	the importance of training for been placed in the consumer's
2101 Country with voice time with the state of the state		,	Regi	ister On-Line at
Sales Managers Signature		/ ate	www.	etonamerica.com
(Tear at perforation)			or Fax form to	ETON at 864-278-9590
	Owner's Ide	entificat	ion Card	
Invoice No.	Invoice Date	VIN /Frame I	No.	
Invoice Amount	Delivery Date	(or place labe	(Lhara)	
Model	Color	Engine No. (Not		
Owner's Name				
Address	10	-		
City State Zip			Phon	ne e

To be completed by Authorized ETON Dealership





ID Card to be given to Customer

EION America	. Setup and F	re-Deliv	ery Check List
Dealer Name	XS		Dealer No. ET
Address	Ci	ity	State Zip
Model	Color	I certify that this unit has been setup according to the instructions supplied with the unit,	
VIN/Frame No. (Place label here)	Engine No.	including tho Tech Name	se items checked below.
Setup Date	Delivery Date	Signature	
Setup Tech	Sales Person	Q/C Checked	
Setup Check List Unit uncrated Parts inventory Completed Wheels installed, torqued & pinned Rubber covers installed & bolts tighte Tires inflated to proper pressure Handle bar positioned & torqued	Fuel Cap breatened Throttle adjusted Idle speed adj	nd hose routing of other tube installed stment bolt check justment verified	Owners manual, Tool kit stored Racks & bumpers installed
Pre-Delivery Service Inspectio			
serviced accordingly. Charge checked. **NOTE: Battery does not need to be charged unless the charge check indicates a low charge condition.	Fuel system checked 1. Fuel tank inspected and filled 2. (50:1 fuel/oil mixture for 2 cycle engines on first tank) 3. Fuel filter inspected 4. System checked for leaks 5. Cable routing checked		Test Ride completed 1. Transmission operation 2. Brakes operation & performance 3. Throttle operation 4. Handling, Steering & Handlebars 5. Engine idle and acceleration
 Head lights / tail lights Indicator lamps Engine stop switch Safety stop switch (Tether) Remote stop system 	Throttle operations 1. Return from full open to idle 2. Free lever travel 3. Throttle stop bolt setting Air filter for uniform oil distribution Brake lever adjustment & operation Kick starter handle onboard/Installed		☐ Checked for oil and fuel leaks ☐ Drive chain adjustment and slack ☐ Engine oil tank level checked filled with high grade 2 cycle injector oil ☐ Owner's manual and tool kit onboard ☐ Wheel caps installed
I certify that this unit has had the Pre- preformed in accordance with the setu	ip instructions suppl	ied with the uni	-
Tech / Sales Rep:	_ Date: Q/C	Check by:	Date:

E-TON SPORT 50 SETUP INSTRUCTIONS

1) Uncrate scooter.




2) Ensure inventory parts package is complete. (See checklist on other side).



3) Prepare battery by adding the electrolyte. Allow about 1 hour for the battery to come to a full charge. DO NOT put on charger.



4) Install the rear wheel guard by installing the three Phillips head screws as shown.



5) Check the tire pressure.

Front tire: 18 psi Rear tire: 25 psi



6) Install the handlebar mirrors using a 14mm wrench. (NOTE: Right-hand mirror is left-hand threaded).



7) Install the battery in the battery compartment in the floor board. Attach the leads:
Red to positive terminal
Black to negative terminal



8) Install the battery compartment cover with the four screws provided.



9) Fill the oil reservoir with high grade 10w30 SAE oil if necessary. To check the oil level, use the crankcase oil dipstick located on the right side of the engine just under the fan cover. If the oil level is low, fill to the required level.



E-TON SPORT 50 SETUP INSTRUCTIONS

10) Check all fuel lines for leaks and loosen the carburetor bowl drain screw. Allow fuel to drain from the carburetor until it runs clear.



11) Tighten the carburetor bowl drain bolt.



12) Check the rear brake adjustment. Adjust the rear brake cable to remove all slack so that the brake arm starts to engage when the brake lever is squeezed. (No more than 1/4" of free travel at the lever tip.)



13) Check front and rear wheel axle nut torque.

Front: 44 lbf-ft / 6.0 kgf-m Rear: 86 lbf-ft / 12.0 kgf-m

14) Check the speedometer cable connection at the front wheel.



- 15) Check for proper operation of all lamps, turn signals, head lights, and tail lights.
- 16) Start the engine by setting the engine stop switch to the ON "O" position and squeezing the right-hand brake lever to engage the safety brake switch. Press the starter button while gently engaging the throttle. If the engine does not start, ensure the anti-theft switch under the seat is set to the OFF (unlocked) position.
- **17)** Check the engine idle by allowing the engine to warm for 5-10 minutes. Ensure the idle speed is 1600RPM. Adjust if needed.

- 18) Test ride the scooter and check all nuts and fasteners for proper tightness.
- 19) Complete the setup form checklist.



Left Handlebar Controls
Turn Signal Control, Horn



Right Handlebar Controls Stop Switch, Starter Button

Parts Packing List

QTY	ITEM	DESCRIPTION
1	813791	Owner's Manual
1	650462	Tool Kit
1	813648	Battery Compartment Cover
4	650875	Battery Cover Screws
1	813691	Rear Wheel Guard
1	813584	Battery (GTX5L-BS)
1	813713	Rear View Mirror (RH)
1	813714	Rear View Mirror (LH)
3	811496	Rear Wheel Guard Screws
1	-	Setup Sheet
1	-	Unit Folder (Contains buyer agreement, setup checklist, PDI form, registration form, VIN labels)