

## Viper 90R



## Just go there!

## Viper 90R 4-S

Cherry Red Royal Blue Sunlight Yellow Black & Yellow

Introducing the 2007 E-TON Viper 90R four-stroke ATV. This Viper includes a 88.4cc four-stroke aircooled engine, Automatic C.V.T. belt transmission with forward and reverse shifting, and a U.S. Forest C Service-approved spark arrestor. The 2006 Viper 90R meets or exceeds EPA clean air requirements and is eligible for the California Green Sticker. Includes full six month limited factory warranty. Designed for riders ages 12 and up.

## **Optional Accessories**

- Remote stop switch
- Hi-Flo fuel line kit
- 3" clear stone fuel filter
- Colored handlebar grips
  - Tire repair kit
  - E-TON safety flag
  - Helmets and apparel available on the web site

**EON AMERICA.** 

www.etonamerica.com

|  | by <b>E-TON</b>  |
|--|--|
| Engine   |  |
| Type   | Four cycle air cooled (EPA Compliant) SOHC   |
| Displacement                                   | 88.4cc   |
| Bore / Stroke                                  | φ47.0 * 51.0mm   |
| Compression Ratio / Pressure                   | 10.2 : 1 / 120-140psi  |
| Torque / BHP                                   | 6.5N ms @ 6500rpm / 7.0BHP   |
| EPA Approved                                   | Meet or exceeds EPA clean air requirements and CA Green Sticker  |
| Starting                                       | Electrical starter with kick start backup  |
| Transmission                                   | Electrical starter with Rick start backup  |
| Type   | Automatic (C.V.T. V-Belt) with forward/reverse shift   |
| Chassis  | Tatomate (Critis + Bett) was format are verse since  |
| Overall Length-With-Height                     | 1500mm / 59.0" - 850mm / 33.5" - 940mm / 37.0"   |
| Wheel Base                                     | 1030mm / 40.6"   |
| Seat Height                                    | 680mm / 26.8"  |
| Ground Clearance                               | 120mm / 4.7"   |
| Dry Weight                                     | 115kg / 253.3lbs   |
| Suspension                                     | and the second s |
| Front  | Independent A-arms with Adjustable Shocks  |
| Rear   | Swing Arm with Adjustable Shock  |
| Brakes   |  |
| Front  | Dual mechanical drum   |
| Rear   | Hydraulic Disc   |
| Tires  |  |
| Front  | 18/7-8   |
| Rear   | 18/9-8   |
| , Min  | 3.2psi / 0.23kg/cm2  |
| Tire Pressure Front Max                        | 4.0psi / 0.28kg/cm2  |
| Rear Min                                       | 3.2psi / 0.23kg/cm2  |
| Rear Max                                       | 4.0psi / 0.28kg/cm2  |
| Wheels   |  |
| P. I. P. II. Front                             | 4 x 110mm (P.C.D.)   |
| Bolt Pattern Rear                              | 4 x 110mm (P.C.D.)   |
| Carburetor                                     |  |
| Make/Size                                      | TK SVR 22mm (Manual Choke)   |
| Main Jet                                       | 1.00mm   |
| Pilot Jet                                      | 0.32mm   |
| Air Mixture Adjustment                         | Back out 1½ - 1¾ turns   |
| Idle Speed                                     | Idle 1700 - 1900rpm  |
| Sprockets                                      |  |
| Front  | 520x13t  |
| Rear   | 520x28t  |
| Chain  | #520   |
| Battery  |  |
| Jell Acid (Maintenance Free)                   | 12V-4AH/5AH - GTX5L  |
| Main Fuse                                      | 7Amp   |
| Fluids   |  |
| Fuel Type                                      | Unleaded Gasoline 89 octane  |
| Volume   | 4.5 liters / 1.2 gal   |
| Engine Oil Type                                | SAE 20W - 40   |
| Volume   | 0.8 liters / 0.84 qt   |
| Transmission Type                              | SAE 80W/90   |
| Volume   | 300cc / 10.2 oz  |
| Safety Features                                |  |
| Safety Tether Switch                           | N/A  |
| Remote Stop Switch                             | Optional equipment   |
| Enclosed Foot Rest Area                        | Standard equipment   |
| Enclosed Engine compartment                    | N/A  |
| Carrying Capacity                              |  |
|  | N/A  |
| Rack Capacity Front                            | N/A  |
| Rack Capacity Front Rear                       | N/A<br>N/A   |
| Rack Capacity Rear  Trailer Woh                | N/A  |
| Rack Canacity                                  | N/A<br>N/A   |
| Rack Capacity Rear  Trailer Woh                | N/A N/A N/A  |
| Rack Capacity Rear Towing Capacity Trailer Wgh | N/A<br>N/A   |